Brain Research, 590 (1992) 356–357
© 1992 Elsevier Science Publishers B.V. All rights reserved 0006-8993/92/$05.00

Author Index

Ache, B.W., see Orona, E. (590) 136
Aldskogius, H., see Robertson, B. (590) 207

Banks, W.A., see Zlokovic, B.V. (590) 213
Benoliel, J.J., Bourgoin, S., Mauborgne, A., Pohl, M., Legrand, J.C., Hamon, M. and Cesselin, F.
GABA, acting at both $GABA_A$ and $GABA_B$ receptors, inhibits the release of cholecystokinin-like material from the rat spinal cord in vitro (590) 255
Besson, J.M., see Puig, S. (590) 250
Björkman, R.L., Hedner, T., Hallman, K.M., Henning, M. and Hedner, J.
Localization of the central antinociceptive effects of diclofenac in the rat (590) 66
Book, A.A., Wiley, R.G. and Schweitzer, J.B.
Specificity of 192 IgG-saporin for NGF receptor-positive cholinergic basal forebrain neurons in the rat (590) 350
Bourgoin, S., see Benoliel, J.J. (590) 255
Bragdon, A.C., Kojima, H. and Wilson, W.A.
Suppression of interictal bursting in hippocampus unleashes seizures in entorhinal cortex: a proepileptic effect of lowering $[K^+]_o$ and raising $[Ca^{2+}]_o$ (590) 128
Britto, L.R.G., Hamassaki-Britto, D.E., Ferro, E.S., Keyser, K.T., Karten, H.J. and Lindstrom, J.M.
Neurons of the chick brain and retina expressing both α-bungarotoxin-sensitive and α-bungarotoxin-insensitive nicotinic acetylcholine receptors: an immunohistochemical analysis (590) 193
Burgess, G.H., see Stonestreet, B.S. (590) 263

Cesselin, F., see Benoliel, J.J. (590) 255
Chavko, M., see Danielisová, V. (590) 321
Chiang, C.Y., see Yoshida, A. (590) 81
Chiodo, L.A., see Zhang, J. (590) 153
Coco, M.L., Kuhn, C.M., Ely, T.D. and Kilts, C.D.
Selective activation of mesoamygdaloid dopamine neurons by conditioned stress: attenuation by diazepam (590) 39
Connelly, C.A., Dobbins, E.G. and Feldman, J.L.
Pre-Bötzinger complex in cats: respiratory neuronal discharge patterns (590) 337
Crain, S.M., see Fan, S.F. (590) 329
Crnic, L.S. and Segall, M.A.
Behavioral effects of mouse interferons-α and -γ and human interferon-α in mice (590) 277
Cserr, H.F., see Stonestreet, B.S. (590) 263

Danielisová, V. and Chavko, M.
Amelioration of ischemic spinal cord damage by postischemic treatment with propentofylline (HWA 285) (590) 321
Darlington, C.L., see Smith, P.F. (590) 345
Dobbins, E.G., see Connelly, C.A. (590) 337
Dostrovsky, J.O., see Yoshida, A. (590) 81
Dubocovich, M.L., see Krause, D.N. (590) 325

Ekholm, A., see Katsura, K.-i. (590) 6
Ely, T.D., see Coco, M.L. (590) 39
Erchegyi, J., see Zlokovic, B.V. (590) 213

Fan, S.F., Shen, K.F., Scheideler, M.A. and Crain, S.M.
F11 neuroblastoma × DRG neuron hybrid cells express inhibitory μ- and δ-opioid receptors which increase voltage-dependent K^+ currents upon activation (590) 329
Feldman, J.L., see Connelly, C.A. (590) 337
Ferro, E.S., see Britto, L.R.G. (590) 193
Folbergrová, J., see Katsura, K.-i. (590) 6
Fouriezos, G., see Rick, J.T. (590) 285
Freeman, A.S., see Zhang, J. (590) 153
Fujimoto, K., see Machidori, H. (590) 180

Garin-Chesa, P., see Rettig, W.J. (590) 219
Getting, P.A., see Johnson, S.M. (590) 1
Ginn, S.R. and Peterson, G.M.
Studies related to the use of colchicine as a neurotoxin in the septohippocampal cholinergic system (590) 144
Goromaru, T., see Hashimoto, K. (590) 341
Grace, A.A., see Hollerman, J.R. (590) 291
Grundke-Iqbal, I., see Ruben, G.C. (590) 164
Grundke-Iqbal, I., see Swaab, D.F. (590) 239

Hallman, K.M., see Björkman, R.L. (590) 66
Hamassaki-Britto, D.E., see Britto, L.R.G. (590) 193
Hamon, M., see Benoliel, J.J. (590) 255
Hampson, D.R., see Hullebroeck, M.F. (590) 187
Harrison, M.B., Wiley, R.G. and Wooten, G.F.
Changes in D2 but not D1 receptor binding in the striatum following a selective lesion of striatopallidal neurons (590) 305
Hasan, S., see Shuaib, A. (590) 13
Hashimoto, K., Maeda, H. and Goromaru, T.
Effects of benzylpiperazine derivatives on the neurotoxicity of 3,4-methylenedioxymethamphetamine in rat brain (590) 341
Hedner, J., see Björkman, R.L. (590) 66
Hedner, T., see Björkman, R.L. (590) 66
Henning, M., see Björkman, R.L. (590) 66
Hirokawa, N., see Oshima, T. (590) 53
Hoffman, S., see Rettig, W.J. (590) 219
Hollerman, J.R. and Grace, A.A.
Subthalamic nucleus cell firing in the 6-OHDA-treated rat: basal activity and response to haloperidol (590) 291
Hullebroeck, M.F. and Hampson, D.R.
Characterization of the oligosaccharide side chains on kainate binding proteins and AMPA receptors (590) 187

Igisu, H., see Matsuoka, M. (590) 334
Ijaz, S., see Shuaib, A. (590) 13
Iqbal, K., see Ruben, G.C. (590) 164
Iqbal, K., see Swaab, D.F. (590) 239

Jacques-Berg, W., see Rodriguez, J. (590) 109
Janssen, R.
Glutamate neurotoxicity in the developing rat cochlea is antagonized by kynurenic acid and MK-801 (590) 201
Johnson, A.K., see Sullivan, M.J. (590) 271
Johnson, S.M. and Getting, P.A.
Excitatory effects of thyrotropin-releasing hormone on neurons within the nucleus ambiguus of adult guinea pigs (590) 1
Johnson Jr., J.E., see Ruben, G.C. (590) 164
Joseph, J.A., see Villalobos-Molina, R. (590) 303

Kadi, El, H., see Zlokovic, B.V. (590) 213
Kalra, J., see Shuaib, A. (590) 13
Karten, H.J., see Britto, L.R.G. (590) 193
Kastin, A.J., see Zlokovic, B.V. (590) 213
Kato, H., see Nakata, N. (590) 48
Katsura, K.-i., Minamisawa, H., Ekholm, A., Folbergrová, J. and Siesjö, B.K.
Changes of labile metabolites during anoxia in moderately hypo- and hyperthermic rats: correlation to membrane fluxes of K^+ (590) 6
Keyser, K.T., see Britto, L.R.G. (590) 193
Kilts, C.D., see Coco, M.L. (590) 39
Kitai, S.T., see Takada, M. (590) 311
Kitamura, T., see Miyake, T. (590) 300
Kiyama, H., see Sato, K. (590) 95
Kogure, K., see Nakata, N. (590) 48
Kojima, H., see Bragdon, A.C. (590) 128
Kono, T., see Takada, M. (590) 311
Krause, D.N., Siuciak, J.A. and Dubocovich, M.L.
Optic nerve transection decreases 2-[^{125}I]iodomelatonin binding in the chick optic tectum (590) 325
Kremer, H.P.H., see Swaab, D.F. (590) 239
Kuhn, C.M., see Coco, M.L. (590) 39
Kurokawa, M., see Machidori, H. (590) 180

Legrand, J.C., see Benoliel, J.J. (590) 255
Li, J.S., see Wang, L.G. (590) 316
Lindh, B., see Robertson, B. (590) 207
Lindstrom, J.M., see Britto, L.R.G. (590) 193

Macchione, N., see Swann, J.M. (590) 29
Machidori, H., Sakata, T., Yoshimatsu, H., Ookuma, K., Fujimoto, K., Kurokawa, M., Yamatodani, A. and Wada, H.
Zucker obese rats: defect in brain histamine control of feeding (590) 180

Brain Research, 590 (1992) 356–357
© 1992 Elsevier Science Publishers B.V. All rights reserved 0006-8993/92/$05.00

Author Index

Ache, B.W., see Orona, E. (590) 136
Aldskogius, H., see Robertson, B. (590) 207

Banks, W.A., see Zlokovic, B.V. (590) 213
Benoliel, J.J., Bourgoin, S., Mauborgne, A., Pohl, M., Legrand, J.C., Hamon, M. and Cesselin, F.
GABA, acting at both $GABA_A$ and $GABA_B$ receptors, inhibits the release of cholecystokinin-like material from the rat spinal cord in vitro (590) 255
Besson, J.M., see Puig, S. (590) 250
Björkman, R.L., Hedner, T., Hallman, K.M., Henning, M. and Hedner, J.
Localization of the central antinociceptive effects of diclofenac in the rat (590) 66
Book, A.A., Wiley, R.G. and Schweitzer, J.B.
Specificity of 192 IgG-saporin for NGF receptor-positive cholinergic basal forebrain neurons in the rat (590) 350
Bourgoin, S., see Benoliel, J.J. (590) 255
Bragdon, A.C., Kojima, H. and Wilson, W.A.
Suppression of interictal bursting in hippocampus unleashes seizures in entorhinal cortex: a proepileptic effect of lowering $[K^+]_o$ and raising $[Ca^{2+}]_o$ (590) 128
Britto, L.R.G., Hamassaki-Britto, D.E., Ferro, E.S., Keyser, K.T., Karten, H.J. and Lindstrom, J.M.
Neurons of the chick brain and retina expressing both α-bungarotoxin-sensitive and α-bungarotoxin-insensitive nicotinic acetylcholine receptors: an immunohistochemical analysis (590) 193
Burgess, G.H., see Stonestreet, B.S. (590) 263

Cesselin, F., see Benoliel, J.J. (590) 255
Chavko, M., see Danielisová, V. (590) 321
Chiang, C.Y., see Yoshida, A. (590) 81
Chiodo, L.A., see Zhang, J. (590) 153
Coco, M.L., Kuhn, C.M., Ely, T.D. and Kilts, C.D.
Selective activation of mesoamygdaloid dopamine neurons by conditioned stress: attenuation by diazepam (590) 39
Connelly, C.A., Dobbins, E.G. and Feldman, J.L.
Pre-Bötzinger complex in cats: respiratory neuronal discharge patterns (590) 337
Crain, S.M., see Fan, S.F. (590) 329
Crnic, L.S. and Segall, M.A.
Behavioral effects of mouse interferons-α and -γ and human interferon-α in mice (590) 277
Cserr, H.F., see Stonestreet, B.S. (590) 263

Danielisová, V. and Chavko, M.
Amelioration of ischemic spinal cord damage by postischemic treatment with propentofylline (HWA 285) (590) 321
Darlington, C.L., see Smith, P.F. (590) 345
Dobbins, E.G., see Connelly, C.A. (590) 337
Dostrovsky, J.O., see Yoshida, A. (590) 81
Dubocovich, M.L., see Krause, D.N. (590) 325

Ekholm, A., see Katsura, K.-i. (590) 6
Ely, T.D., see Coco, M.L. (590) 39
Erchegyi, J., see Zlokovic, B.V. (590) 213

Fan, S.F., Shen, K.F., Scheideler, M.A. and Crain, S.M.
F11 neuroblastoma × DRG neuron hybrid cells express inhibitory μ- and δ-opioid receptors which increase voltage-dependent K^+ currents upon activation (590) 329
Feldman, J.L., see Connelly, C.A. (590) 337
Ferro, E.S., see Britto, L.R.G. (590) 193
Folbergrová, J., see Katsura, K.-i. (590) 6
Fouriezos, G., see Rick, J.T. (590) 285
Freeman, A.S., see Zhang, J. (590) 153
Fujimoto, K., see Machidori, H. (590) 180

Garin-Chesa, P., see Rettig, W.J. (590) 219
Getting, P.A., see Johnson, S.M. (590) 1
Ginn, S.R. and Peterson, G.M.
Studies related to the use of colchicine as a neurotoxin in the septohippocampal cholinergic system (590) 144
Goromaru, T., see Hashimoto, K. (590) 341
Grace, A.A., see Hollerman, J.R. (590) 291
Grundke-Iqbal, I., see Ruben, G.C. (590) 164
Grundke-Iqbal, I., see Swaab, D.F. (590) 239

Hallman, K.M., see Björkman, R.L. (590) 66
Hamassaki-Britto, D.E., see Britto, L.R.G. (590) 193
Hamon, M., see Benoliel, J.J. (590) 255
Hampson, D.R., see Hullebroeck, M.F. (590) 187
Harrison, M.B., Wiley, R.G. and Wooten, G.F.
Changes in D2 but not D1 receptor binding in the striatum following a selective lesion of striatopallidal neurons (590) 305
Hasan, S., see Shuaib, A. (590) 13
Hashimoto, K., Maeda, H. and Goromaru, T.
Effects of benzylpiperazine derivatives on the neurotoxicity of 3,4-methylenedioxymethamphetamine in rat brain (590) 341
Hedner, J., see Björkman, R.L. (590) 66
Hedner, T., see Björkman, R.L. (590) 66
Henning, M., see Björkman, R.L. (590) 66
Hirokawa, N., see Oshima, T. (590) 53
Hoffman, S., see Rettig, W.J. (590) 219
Hollerman, J.R. and Grace, A.A.
Subthalamic nucleus cell firing in the 6-OHDA-treated rat: basal activity and response to haloperidol (590) 291
Hullebroeck, M.F. and Hampson, D.R.
Characterization of the oligosaccharide side chains on kainate binding proteins and AMPA receptors (590) 187

Igisu, H., see Matsuoka, M. (590) 334
Ijaz, S., see Shuaib, A. (590) 13
Iqbal, K., see Ruben, G.C. (590) 164
Iqbal, K., see Swaab, D.F. (590) 239

Jacques-Berg, W., see Rodriguez, J. (590) 109
Janssen, R.
Glutamate neurotoxicity in the developing rat cochlea is antagonized by kynurenic acid and MK-801 (590) 201
Johnson, A.K., see Sullivan, M.J. (590) 271
Johnson, S.M. and Getting, P.A.
Excitatory effects of thyrotropin-releasing hormone on neurons within the nucleus ambiguus of adult guinea pigs (590) 1
Johnson Jr., J.E., see Ruben, G.C. (590) 164
Joseph, J.A., see Villalobos-Molina, R. (590) 303

Kadi, El, H., see Zlokovic, B.V. (590) 213
Kalra, J., see Shuaib, A. (590) 13
Karten, H.J., see Britto, L.R.G. (590) 193
Kastin, A.J., see Zlokovic, B.V. (590) 213
Kato, H., see Nakata, N. (590) 48
Katsura, K.-i., Minamisawa, H., Ekholm, A., Folbergrová, J. and Siesjö, B.K.
Changes of labile metabolites during anoxia in moderately hypo- and hyperthermic rats: correlation to membrane fluxes of K^+ (590) 6
Keyser, K.T., see Britto, L.R.G. (590) 193
Kilts, C.D., see Coco, M.L. (590) 39
Kitai, S.T., see Takada, M. (590) 311
Kitamura, T., see Miyake, T. (590) 300
Kiyama, H., see Sato, K. (590) 95
Kogure, K., see Nakata, N. (590) 48
Kojima, H., see Bragdon, A.C. (590) 128
Kono, T., see Takada, M. (590) 311
Krause, D.N., Siuciak, J.A. and Dubocovich, M.L.
Optic nerve transection decreases 2-[^{125}I]iodomelatonin binding in the chick optic tectum (590) 325
Kremer, H.P.H., see Swaab, D.F. (590) 239
Kuhn, C.M., see Coco, M.L. (590) 39
Kurokawa, M., see Machidori, H. (590) 180

Legrand, J.C., see Benoliel, J.J. (590) 255
Li, J.S., see Wang, L.G. (590) 316
Lindh, B., see Robertson, B. (590) 207
Lindstrom, J.M., see Britto, L.R.G. (590) 193

Macchione, N., see Swann, J.M. (590) 29
Machidori, H., Sakata, T., Yoshimatsu, H., Ookuma, K., Fujimoto, K., Kurokawa, M., Yamatodani, A. and Wada, H.
Zucker obese rats: defect in brain histamine control of feeding (590) 180

Mackic, J.B., see Zlokovic, B.V. (590) 213
Maeda, H., see Hashimoto, K. (590) 341
Maguire, C., O'Connell, C. and Regan, C.M.
Clorazepate synchronizes cultured rat C6 glioma in the early G_1 phase of the cell cycle (590) 74
Matsuoka, M. and Igisu, H.
Preservation of energy metabolites by carnitine in the mouse brain under ischemia (590) 334
Mauborgne, A., see Benoliel, J.J. (590) 255
McComb, J.G., see Zlokovic, B.V. (590) 213
Minamisawa, H., see Katsura, K.-i. (590) 6
Miyake, T., Okada, M. and Kitamura, T.
Reactive proliferation of astrocytes studied by immunohistochemistry for proliferating cell nuclear antigen (590) 300
Mongeau, R., Welner, S.A., Quirion, R. and Suranyi-Cadotte, B.E.
Further evidence for differential affinity states of the serotonin$_{1A}$ receptor in rat hippocampus (590) 229
Moya, K.L., Tavitian, B., Zahraoui, A. and Tavitian, A.
Localization of the *ras*-like rab3A protein in the adult rat brain (590) 118

Nakata, N., Kato, H. and Kogure, K.
Protective effects of serotonin reuptake inhibitors, citalopram and clomipramine, against hippocampal CA1 neuronal damage following transient ischemia in the gerbil (590) 48
Newman, S.W., see Swann, J.M. (590) 18

O'Connell, C., see Maguire, C. (590) 74
Okabe, S., see Oshima, T. (590) 53
Okada, M., see Miyake, T. (590) 300
Ookuma, K., see Machidori, H. (590) 180
Orona, E. and Ache, B.W.
Physiological and pharmacological evidence for histamine as a neurotransmitter in the olfactory CNS of the spiny lobster (590) 136
Oshima, T., Okabe, S. and Hirokawa, N.
Immunocytochemical localization of 205 kDa microtubule-associated protein (205 kDa MAP) in the guinea pig organ of Corti (590) 53

Patel, A.J., see Rodriguez, J. (590) 109
Peterson, G.M., see Ginn, S.R. (590) 144
Pohl, M., see Benoliel, J.J. (590) 255
Puig, S., Rivot, J.P. and Besson, J.M.
Effect of subcutaneous administration of the chemical algogen formalin, on 5-HT metabolism in the nucleus raphe magnus and the medullary dorsal horn: a voltammetric study in freely moving rats (590) 250

Quirion, R., see Mongeau, R. (590) 229

Rao, Z.R., see Wang, L.G. (590) 316
Ravid, R., see Swaab, D.F. (590) 239
Regan, C.M., see Maguire, C. (590) 74
Rettig, W.J., Hoffman, S., Su, S.L. and Garin-Chesa, P.
Species diversity of neuronectin and cytotactin expression patterns in the vertebrate central nervous system (590) 219
Rick, J.T. and Fouriezos, G.
Pulse jitter retards kindling without affecting brain-stimulation reward (590) 285
Rivot, J.P., see Puig, S. (590) 250
Robertson, B., Lindh, B. and Aldskogius, H.
WGA–HRP and choleragenoid-HRP as anterogradely transported tracers in vagal visceral afferents and binding of WGA and choleragenoid to nodose ganglion neurons in rodents (590) 207
Rodriguez, J., Jacques-Berg, W., Sanfeliu, C. and Patel, A.J.
Regulation of neurotransmitter enzyme by quisqualate subtype glutamate receptors in cultured cerebellar and hippocampal neurons (590) 109
Roth, G.S., see Villalobos-Molina, R. (590) 303
Ruben, G.C., Iqbal, K., Wisniewski, H.M., Johnson Jr., J.E. and Grundke-Iqbal, I.
Alzheimer neurofibrillary tangles contain 2.1 nm filaments structurally identical to the microtubule-associated protein τ: a high-resolution transmission electron microscope study of tangles and senile plaque core amyloid (590) 164

Sakata, T., see Machidori, H. (590) 180
Sanfeliu, C., see Rodriguez, J. (590) 109
Sato, K., Kiyama, H. and Tohyama, M.
Regional distribution of cells expressing glycine receptor α_2 subunit mRNA in the rat brain (590) 95
Scheideler, M.A., see Fan, S.F. (590) 329
Schweitzer, J.B., see Book, A.A. (590) 350
Segall, M.A., see Crnic, L.S. (590) 277
Sessle, B.J., see Yoshida, A. (590) 81
Shen, K.F., see Fan, S.F. (590) 329
Shuaib, A., Ijaz, S., Hasan, S. and Kalra, J.
Gamma-vinyl GABA prevents hippocampal and substantia nigra reticulata damage in repetitive transient forebrain ischemia (590) 13
Siesjö, B.K., see Katsura, K.-i. (590) 6
Siuciak, J.A., see Krause, D.N. (590) 325
Smith, P.F. and Darlington, C.L.
Comparison of the effects of NMDA antagonists on medial vestibular nucleus neurons in brainstem slices from labyrinthine-intact and chronically labyrinthectomized guinea pigs (590) 345
Stonestreet, B.S., Burgess, G.H. and Cserr, H.F.
Blood–brain barrier integrity and brain water and electrolytes during hypoxia/hypercapnia and hypotension in newborn piglets (590) 263
Su, S.L., see Rettig, W.J. (590) 219
Sullivan, M.J. and Johnson, A.K.
Amastatin potentiates drinking elicited by osmotic stimuli: evidence for peptidergic mediation of intracellular dehydration-induced thirst (590) 271
Suranyi-Cadotte, B.E., see Mongeau, R. (590) 229
Swaab, D.F., Grundke-Iqbal, I., Iqbal, K., Kremer, H.P.H., Ravid, R. and Van de Nes, J.A.P.
τ and ubiquitin in the human hypothalamus in aging and Alzheimer's disease (590) 239
Swann, J.M. and Macchione, N.
Photoperiodic regulation of substance P immunoreactivity in the mating behavior pathway of the male golden hamster (590) 29
Swann, J.M. and Newman, S.W.
Testosterone regulates substance P within neurons of the medial nucleus of the amygdala, the bed nucleus of the stria terminalis and the medial preoptic area of the male golden hamster (590) 18

Takada, M., Kono, T. and Kitai, S.T.
Flunarizine induces a transient loss of tyrosine hydroxylase immunoreactivity in nigrostriatal neurons (590) 311
Tavitian, A., see Moya, K.L. (590) 118
Tavitian, B., see Moya, K.L. (590) 118
Tohyama, M., see Sato, K. (590) 95

Van de Nes, J.A.P., see Swaab, D.F. (590) 239
Villalobos-Molina, R., Joseph, J.A. and Roth, G.S.
α_1-Adrenergic stimulation of low K_m GTPase in rat striata is diminished with age (590) 303

Wada, H., see Machidori, H. (590) 180
Wang, L.G., Rao, Z.R. and Li, J.S.
Prenatal ontogeny of substance P-like immunoreactivity in the parabrachial nucleus of the human fetus – an immunocytochemical study (590) 316
Welner, S.A., see Mongeau, R. (590) 229
Wiley, R.G., see Book, A.A. (590) 350
Wiley, R.G., see Harrison, M.B. (590) 305
Wilson, W.A., see Bragdon, A.C. (590) 128
Wisniewski, H.M., see Ruben, G.C. (590) 164
Wooten, G.F., see Harrison, M.B. (590) 305

Yamatodani, A., see Machidori, H. (590) 180
Yoshida, A., Sessle, B.J., Dostrovsky, J.O. and Chiang, C.Y.
Trigeminal and dorsal column nuclei projections to the anterior pretectal nucleus in the rat (590) 81
Yoshimatsu, H., see Machidori, H. (590) 180

Zahraoui, A., see Moya, K.L. (590) 118
Zhang, J., Chiodo, L.A. and Freeman, A.S.
Electrophysiological effects of MK-801 on rat nigrostriatal and mesoaccumbal dopaminergic neurons (590) 153
Zlokovic, B.V., Banks, W.A., Kadi, H.E., Erchegyi, J., Mackic, J.B., McComb, J.G. and Kastin, A.J.
Transport, uptake, and metabolism of blood-borne vasopressin by the blood–brain barrier (590) 213